

HT-00-001B



November 18, 2003

To: Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Fr: George O. Saile, Reg. No. 19,572
28 Davis Avenue
Poughkeepsie, N.Y. 12603

Subject: | Serial No. 10/649,456 08/27/03 |
| C.T. Horng et al. |
| ROBUST HARD BIAS/CONDUCTOR LEAD |
| STRUCTURES FOR FUTURE GMR HEADS |
Grp. Art Unit:

INFORMATION DISCLOSURE STATEMENT

Enclosed is Form PTO-1449, Information Disclosure Citation
In An Application.

The following Patents and/or Publications are submitted to
comply with the duty of disclosure under CFR 1.97-1.99 and
37 CFR 1.56. Copies of each document is included herewith.

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being
deposited with the United States Postal Service as first class
mail in an envelope addressed to: Commissioner for Patents,
P.O. Box 1450, Alexandria, VA 22313,1450, on November 21, 2003.

Stephen B. Ackerman, Reg.# 37761

Signature/Date

SB Ackerman 11/21/03

U.S. Patent 5,479,696 to McNeil, "Method of Making Combination Read/Write Magnetic Head," provides a combination read/write magnetic head in which the conducting leads are a Ta/Au/Ta lamination.


U.S. Patent 5,268,806 to Goubau et al., "Magnetoresistive Transducer Having Tantalum Lead Conductors," discloses a lead layer structure which comprises a thin film layer of body-centered-cubic (bcc) tantalum (alpha-phase Ta) which is separated from the sensor element by a thin film seed layer formed of material taken from the group consisting of TiW, TaW, Cr and W.

U.S. Patent 5,491,600 to Chen et al., "Multi-Layer Conductor Leads in a Magnetoresistive Head," discloses a multilayered conductive lead structure consisting of layers of conductive material alternating with layers of refractory metal, such as layers of gold/nickel alloy alternating with layers of tantalum.

HT-00-001B

U.S. Patent 5,883,764 to Pinarbasi, "Magnetoresistive Sensor Having Multi-Layered Refractory Metal Conductor Leads," discloses a method for forming very thin and highly conductive lead layers over the longitudinal bias layers of a spin-valve type read sensor.

Sincerely,


Stephen B. Ackerman,
Reg. No. 37761

Form PTO-1449

INFORMATION DISCLOSURE CITATION
IN AN APPLICATION

(Use several sheets if necessary)

Docket Number (Optional)

HT-00-001 B

Application Number

10/649,456

Applicant

C.T. Horng et al.

Filing Date

08/27/03

Group Art Unit

U. S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	ALNO DATE & APPROPRIATE
	5479696	1/2/96	McNeil	29	603	2/15/94
	5268806	12/7/93	Gouban et al.	360	113	1/21/92
	5491600	2/13/96	Chen et al.	360	113	5/4/94
	5883764	3/16/99	Pinarbasi	360	113	10/3/97

FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	Translation	
						YES	NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.